

## **CLAIM AMENDMENTS:**

1. (Currently amended) A production process for a hydroxyalkyl (meth)acrylate, which comprises the step of carrying out a reaction between (meth)acrylic acid and an alkylene oxide ~~in order~~ to produce the hydroxyalkyl (meth)acrylate in a reaction apparatus, with the production process further comprising the steps of:

(a) producing a resultant reaction liquid in the reaction apparatus where the resultant reaction liquid contains crude hydroxyalkyl (meth)acrylate, unreacted (meth)acrylic acid and unreacted alkylene oxide;

(b) introducing the resultant reaction liquid into a distillation apparatus and distilling the reaction liquid under an operational pressure of 1 to 40 hPa to remove unreacted (meth)acrylic acid;

(c) recovering the unreacted (meth)acrylic acid by the distillation of [[a]] the resultant reaction liquid under an operational pressure of 1 to 40 hPa; and thereafter

(d) recycling and introducing the unreacted (meth)acrylic acid recovered from the distillation apparatus into the reaction apparatus ~~recycling the recovered unreacted (meth)acrylic acid~~ as a raw material for the reaction.

2. (Currently amended) A production process according to claim 1, which further comprises the steps of: recovering the unreacted alkylene oxide together with the unreacted (meth)acrylic acid by said distillation step; and thereafter recycling them.

3. (Original) A production process according to claim 1, which further comprises the steps of: separating the unreacted alkylene oxide from the reaction liquid in the first place; and thereafter recovering the unreacted (meth)acrylic acid by the distillation.

Claim 4 (Cancelled)

5. (Original) A production process according to claim 1, wherein the distillation is carried out with a plate column and/or a packed column.

6. (Original) A production process according to claim 1, wherein the distillation is carried out in the presence of polymerization inhibitors involving the joint use of at least one compound with an N-oxyl compound wherein the at least one compound is selected from the group consisting of phenol compounds, paraphenylenediamines, amine compounds, copper dialkydithiocarbamates and nitroso compounds.

7. (Original) A production process according to claim 1, wherein the concentration of the (meth)acrylic acid in the reaction liquid is in the range of 0.1 to 20 weight %.

8. (New) A production process according to claim 1, further comprising the step of purifying the resultant reaction liquid containing the crude hydroxyalkyl (meth)acrylate, after the recovery of the unreacted (meth)acrylic acid by the distillation step.

9. (New) A production process according to claim 8, wherein the step of purifying the resultant reaction liquid is by a second distillation step.